



Made in the USA

Railing for the good life.



Transferable Lifetime Limited Warranty • Virtually Maintenance Free



Welcome

Whether you are looking to make your home impressive, exquisite, or distinctive, PolyRail® Vinyl Railing was designed with these elements in mind. PolyRail® Vinyl Railing also offers you a comfortable feel with a traditional look. Featuring a range of styles, colors, and applications to enhance your vision, just imagine the possibilities. After all, your home is your masterpiece.



Vinyl Colors

These standard vinyl colors are available in all styles.




White




Tan

Aluminum Spindle Colors

Verified AAMA 2604-10 Compliant Powder Coating. Upgrade to optional AAMA 2605-11 powder coating available. Custom colors available. These standard aluminum spindle colors are available in all aluminum spindle styles except Eagle.




Satin Black
DSI 101



Black Fine Texture
DSI 106



Ninety Bronze
DSI 131




Bronze Fine Texture
DSI 107




Clay
DSI 128



Chocolate
DSI 124



Speckled Walnut
DSI 121



Sandy Shore
DSI 122



White Fine Texture
DSI 123



Gloss Beige
DSI 104



Gloss White
DSI 102



Silver*
DSI 125

Colors shown are a close representation of the true color. Please consult actual samples for accurate colors.
* 15% upcharge applies to Silver with minimum order



- 1 Style: Cardinal
Color: White
- 2 Style: Falcon "A" Series
Color: White
- ◀ Style: Falcon "B" Series
Color: White Vinyl with Black Fine
Texture Spindles
- Cover Style: Raven "A" Series
Color: White
- Back Style: Falcon "A" Series
Color: Tan

| <i>Table of Contents</i> | |
|--------------------------|-------|
| Falcon | 4-5 |
| Raven | 6-7 |
| Cardinal | 8-9 |
| Eagle | 10-11 |
| T-Bird | 12-13 |
| Posts | 14-15 |
| Caps & Flairs | 16 |
| Rail Mounts | 17 |
| Continuous Handrail | 18-19 |



Falcon Specifications

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')
- Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10'
- Standard Vinyl Spindle: 1 3/8" x 1 3/8"
- "A" Series Vinyl Spindle: 1 3/8" x 1 3/8"
(42" "A" Series Spindles are Aluminum Reinforced)
- Vinyl Spindle Spacing: 3 1/2"
- "B" Series Aluminum Spindle: 3/4" Round
- Aluminum Spindle Spacing: 3 7/8"
- Crossover Railing (optional): Standard Spindles,
"A" Series Spindles,
"B" Series Spindles
- Crossover Lengths: 10', 12', 14', 16'
(2 rail supports included with 16')
- Crossover Stair Railing: Not Available
- Chippendale Railing (optional): Standard Spindles
- Single Chippendale Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')
- Double Chippendale Lengths: 7', 8', 9', 10'
(rail support included with 8', 9', 10')
- Chippendale Stair Railing: Not Available
- Compliance: ICC-ES ESR-1324 (Up to 8' sections complies with IBC & IRC)



Standard Spindles
Shown w/Flat Caps



"B" Series Spindles
Shown w/Trim Caps



Top Rail
with Aluminum Reinforcement



Bottom Rail
with Aluminum Reinforcement



Standard "A" Series



"B" Series

Falcon Spindles

- 1 Style: Falcon "B" Series
Color: White Vinyl with Black Fine
Texture Spindles
- 2 Style: Falcon
Color: White
- Style: Falcon "A" Series
Color: White



Falcon

Falcon Railing

Impressive. You have one opportunity to make that important first impression. A freshly manicured lawn, blooming flowers, and a unique deck, porch, or patio can make your home stand out from the rest. Falcon Railing features an impressively contoured "bread-loaf" shaped top rail along with a variety of spindle options. Falcon Railing - creating an impressive first impression.



Raven

Raven Railing

Comfortable. Home is where we go to escape the stresses of the day. Home is where we go to relax before starting all over again. Home is comfort. Raven railing features a comfortably contoured top rail complimented by a variety of spindle options. Raven Railing - bringing you home to comfort.



1



2



3



Top Rail
with Aluminum Reinforcement



Bottom Rail
with Aluminum Reinforcement

Raven Specifications

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 7', 8', 9', 10')
- Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10'
- Standard Vinyl Spindle: 7/8" x 1 1/2"
- "A" Series Vinyl Spindle: 7/8" x 1 1/2"
(42" "A" Series spindles reinforced with aluminum)
- Vinyl Spindle Spacing: 2 7/8"
- "B" Series Aluminum Spindle: 3/4" Round
- Aluminum Spindle Spacing: 3 7/8"
- Crossover Railing (optional): Standard Spindles, "A" Series Spindles, "B" Series Spindles
- Crossover Lengths: 10', 12', 14', 16'
(2 rail supports included with 14' and 16')
- Crossover Stair Railing: Not Available
- Compliance: ICC-ES ESR-1324 (Up to 7' sections complies with IBC & IRC)



Standard "A" Series "B" Series
Raven Spindles

- 1 Style: Raven "A" Series
Color: White
- 2 Style: Raven "B" Series
Color: Tan Vinyl with Black Fine Texture Spindles
- 3 Style: Raven Crossover
Color: Tan
- ◀ Style: Raven
Color: Tan



Cardinal Specifications

Railing Heights: 36", 42"

Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10'

Standard Vinyl Spindle: 7/8" x 1 1/2"

"A" Series Vinyl Spindle: 7/8" x 1 1/2" (42" "A" Series spindles reinforced with aluminum)

Vinyl Spindle Spacing: 2 7/8"

"B" Series Aluminum Spindle: 3/4" Round

Aluminum Spindle Spacing: 3 7/8"

Crossover Railing (optional): Standard Spindles,
"A" Series Spindles,
"B" Series Spindles

Crossover Lengths: 10', 12', 14', 16'
(2 rail supports included with 16')

Crossover Stair Railing: Not Available

Chippendale Railing (optional): Standard Spindles
Single Chippendale Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Double Chippendale Lengths: 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Chippendale Stair Railing: Not Available

Compliance: ICC-ES Legacy Report (No. 21-42) Tested up to 8' sections



Top Rail
with Aluminum Reinforcement



Bottom Rail
with Aluminum Reinforcement



Standard "A" Series "B" Series
Cardinal Spindles

- 1 Style: Cardinal "B" Series
Color: Tan Vinyl with Speckled Walnut Spindles
- 2 Style: Cardinal Crossover
Color: Tan
- 3 Style: Cardinal Double Chippendale
Color: White
- 4 Style: Cardinal "A" Series
Color: White
- Style: Cardinal
Color: White



Cardinal

Cardinal Railing

Tradition. From childhood to adulthood, tradition is what unites the two together. Good food, the gathering together of family and friends, and great outdoor experiences are traditions we all know, traditions we all want. Cardinal Railing features a traditional top rail accented by a variety of spindle options. Cardinal Railing - the beginning of new traditions.

Eagle



Eagle Railing

Exquisite. You saw the beauty and rare excellence of your home. You carefully sought out your home. Your home is exquisite. Eagle Railing features an exquisitely contoured top rail...a work of art. Eagle Railing - adding unsurpassed elegance.



Top Rail
with Aluminum Reinforcement



Bottom Rail
with Aluminum Reinforcement



Eagle Spindles
42" & 36"

Eagle Specifications

Railing Heights: 36", 42"

Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 7', 8', 9', 10')

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10'

Vinyl Spindle: 1" x 1"
(42" is Aluminum Reinforced)

Vinyl Spindle Spacing: 2 7/8"

Crossover Railing (optional): Standard Spindles

Crossover Lengths: 10', 12', 14', 16'
(2 rail supports included with 14' and 16')

Crossover Stair Railing: Not Available

Compliance: ICC-ES Legacy Report (No. 21-42, Tested up to 7' sections)

1 Style: Eagle
Color: White

2 Style: Eagle Crossover
Color: Tan

3 Style: Eagle
Color: White

4 Style: Eagle
Color: White

Made in the USA



T-Bird Specifications

Railing Heights: 36", 42"

Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10'

Standard Vinyl Spindle: 1 3/8" x 1 3/8"

"A" Series Vinyl Spindle: 1 3/8" x 1 3/8"

(42" "A" Series Spindles are Aluminum Reinforced)

Vinyl Spindle Spacing: 3 1/2"

"B" Series Aluminum Spindle: 3/4" Round

Aluminum Spindle Spacing: 3 7/8"

Crossover Railing (optional): Standard Spindles,
"A" Series Spindles,
"B" Series Spindles

Crossover Lengths: 10', 12', 14', 16'
(2 rail supports included with 16')

Crossover Stair Railing: Not Available

Chippendale Railing (optional): Standard Spindles

Single Chippendale Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Double Chippendale Lengths: 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Chippendale Stair Railing: Not Available



Top Rail
with Aluminum Reinforcement



Bottom Rail
with Aluminum Reinforcement



Standard "A" Series "B" Series
T-Bird Spindles

1 Style: T-Bird "B" Series
Color: Tan Vinyl with Satin Black Spindles

2 Style: T-Bird
Color: White

3 Style: T-Bird
Color: Tan

➤ Style: T-Bird
Color: Tan

T-Bird Railing

Distinct. Your home is unique. Your home is unquestionably exceptional. Your home is distinct. T-Bird Railing features a distinct "T" shaped top rail creating a "Drink Rail" highlighted with a variety of spindle options. T-Bird Railing - enriched with distinction.

Vinyl Porch Posts

Posts




4"

5"

6"




1



5" Square Posts are Reinforced by Sturdy Corrugated Aluminum



"A" Series and Victorian Support Posts are Reinforced by Sturdy Aluminum




5" Top & Bottom Hurricane Mount for Square Support Post



5" Top & Bottom Hurricane Mounts are Tested for High Wind Loads for 5" "A" Series Post



4" Top & Bottom Post Mount Plates



5" Top & Bottom Post Mount Plates



4"
"A" Series

5"
"A" Series

5"
Victorian

Vinyl Porch Posts Specifications

| | 4" Post Sleeve | 4" "A" Series Post | 5" Post Sleeve | 5" Support Post | 5" "A" Series Post | 5" Victorian Post | 6" Post Sleeve |
|----------------------|--------------------------------|--------------------|---------------------------------|-----------------|--------------------|-------------------|--------------------------------|
| Heights | 38", 44", 48", 8', 9', 10' | 9' | 38", 44", 48", 54", 8', 9', 10' | 8', 9', 10' | 9', 10' | 9' | 38", 44", 48", 54", 10' |
| Load Capacity | Non-Load Bearing w/o Wood Post | 3,900 lb. | Non-Load Bearing w/o Wood Post | 8' = 12,000 lb. | 9' = 8,400 lb. | 9' = 8,400 lb. | Non-Load Bearing w/o Wood Post |

Column Clad Post Wraps

The Wood Post Supplies Load Capacity



Fluted

Smooth



Fluted Column Clad Ratchets to Lock Together



Smooth Column Clad Ratchets to Lock Together



The Beautiful Vinyl Cladding Will Last for Years.



Smooth Column Clad Wraps Over the Wood Post - No Screws Needed

- 1 Style: Falcon "A" Series
Color: White
- 2 Style: Cardinal
Color: Tan

| Fluted Column Clad | Smooth Column Clad |
|-----------------------------------|-----------------------------------|
| 4", 6", 8" (Special Order) | 4", 6" |
| Non-Load Bearing w/o Wood Post | Non-Load Bearing w/o Wood Post |

Made in the USA



Adjustable Aluminum Post Mounts

The Adjustable Aluminum Post Mounts can mount on wood, concrete, vinyl, and composite. The Heavy-Duty Aluminum Post Mount complies with IBC and IRC (ICC-ES ESR-1324).



Top View

Powder coated base plates resist corrosion and ACQ wood treatment.



Angle Adjustment Leveling Bolts



Heavy-Duty

Standard

The Adjustable Aluminum Post Mounts used with Post Sleeves and "A" Series Newel Posts.



4" Post Sleeve



Decorative Post Caps are Easily Attached with Vinyl Adhesive



4" "A" Series Newel Post
(Available in 38", 44", 48", 52")

Vinyl Post Caps



Flat Cap
4", 5", 6"



Ball Cap
4", 5"



Gothic Cap
4", 5"



Trim Cap
4", 5"



Vinyl Post Flairs



4" Snap Lock Flair
(1-piece)



4" Flair
(2-piece)



6" Decorative Flair
(1-piece)



5" Flair
(1-piece)
Use w/Square Support Posts



5" Decorative Flair
(4-piece)
Use w/Decorative Support Posts

























Fluted Column Clad Flair
(4-piece)



Smooth Column Clad Flair
(4-piece)

Hidden Screw Rail Mounts

| Eagle/Raven | T-Bird | Falcon | Cardinal |
|--|---|---|--|
|  Top Rail Mount |  Top Rail Mount |  Top Rail Mount |  Top/Bottom Rail Mount |
|  Bottom Rail Mount |  Bottom Rail Mount |  Bottom Rail Mount |  Top/Bottom Stair Mount |
|  Top Stair Mount (factory pre-cut) |  Top Stair Mount |  Top Stair Mount |  Top/Bottom Angle Mount |
|  Top Stair/Angle Mount (uncut) |  Bottom Stair Mount |  Bottom Stair Mount | |
|  Bottom Stair/Angle Mount |  Top/Bottom Angle Mount |  Top/Bottom Angle Mount | |
|  Top 45° Mount (factory pre-cut) |  Top 45° Mount | | |
|  Bottom 45° Mount (factory pre-cut) |  Bottom 45° Mount | | |




Rail Mounts

- 1 Style: Cardinal
Color: Tan
- 2 Style: Falcon "A" Series
Color: White
- 3 Style: Falcon "A" Series
Color: White



Round Column Adapters
Level Rail Stair Rail



Rail Supports
Standard Vinyl "B" Series Aluminum

CHR

Continuous Handrail
ALUMINUM



ADA Compliant Railing System Includes:

- 1 3/8" Aluminum Rail
- 1/8" Collar Ring (to cover splice)
- Strong Internal Connector
- Continuous 180° Handrail Return
- Tapered 1-piece Wall Return
- Beveled Internal End Cap
- Custom Bend Elbows
- Verified AAMA 2604-10 Compliant Powder Coating
- Lifetime Warranty
- Virtually Maintenance Free



Collar Ring
To Cover Splice



Inside Corner Mount
Attaches to Post




Wall Mount

Aluminum Continuous Handrail Colors

Verified AAMA 2604-10 Compliant Powder Coating. Upgrade to optional AAMA 2605-11 powder coating available. Custom colors available.




Satin Black
DSI 101



Black Fine Texture
DSI 106



Ninety Bronze
DSI 131



Bronze Fine Texture
DSI 107



White Fine Texture
DSI 123



Clay
DSI 128

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.



1 3/8" Handrail
Aluminum



Internal Connector
Aluminum



1/8" Collar Rings
To Cover Splice



Handrail Return
180° Elbow



Wall Return



Handrail Elbows
5°, 31°, 34°, 36° Elbows



Handrail Elbow
90° Elbow



90° Welded Elbow



Inside Corner Mount
Attaches to Post




Internal End Cap




Wall Mount



Chocolate
DSI 124



Speckled Walnut
DSI 121



Sandy Shore
DSI 122



Gloss Beige
DSI 104



Gloss White
DSI 102



Silver*
DSI 125

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.
* 15% upcharge applies to Silver with minimum order



www.polyrail.com



Made in the USA

SOLD BY



**Digger
Specialties
Inc.**



Manufacturer of
Verified Components



www.diggerspecialties.com