




Polyvinyl

VINYL FENCING



Digger
Specialties
Inc.

Transforming the Outdoor Living Experience®




DYNAMIC SOLUTIONS INNOVATION

Since 1984 Digger Specialties, Inc. (DSI) has been manufacturing quality products for the outdoor living industry.

At DSI we are continually working to provide solutions through innovative product development and design to bring the best products to our customers, the marketplace, and the home owner.

Polyvinyl Fencing offers Privacy, Semi-Privacy, Picket, Ornamental, and Post & Rail designs to complement your outdoor living space.



**Digger
Specialties
Inc.**

Transforming the Outdoor Living Experience®



Tri-Max II with Vertical Topper

TABLE OF CONTENTS

Features 2

Colors 3

Inspiration 4-5

Privacy Models 6-9

Semi-Privacy Models 10-11

Picket Fencing 12-15

Ornamental Models 16-17

Post & Rail Models 18-19

Gates 20-23

Gate Hardware 24

Accessories 25

FEATURES



Lifetime Limited Warranty

Digger Specialties, Inc. is proud to offer one of the strongest warranties in the industry. Our Aluminum Lifetime Limited Warranty and our Vinyl Transferable Lifetime Limited Warranty demonstrates our faith in our product and our commitment to you. Visit our website to view and register a DSI warranty.




Made in the USA

Digger Specialties, Inc. is proud to be an American company manufacturing quality American made products at our plants in Indiana, North Carolina, Georgia, Pennsylvania, and Missouri.



Committed to the Environment and our Community

DSI is proud to be an environmentally aware company that continues to update practices to reduce our carbon foot-print. DSI consistently recycles cardboard, wood, steel banding, zinc die cast, and heat shrink scrap. DSI also utilizes both aluminum and vinyl extrusions that contain recycled content. DSI is pleased to support our community by outsourcing a portion of our packaging functions to a local company that provides meaningful employment to individuals with disabilities.




Notched Rails and Snap Buttons

Notched Rail and Snap Button systems lock rails into place providing a sturdy and durable rail for your fence.



Low Maintenance

Polyvinyl Fencing offers a low maintenance solution to your outdoor living area. Both our vinyl and aluminum are easy to clean and maintain. For Care and Cleaning Guidelines visit the DSI website.



Matching Walk Gates

All Polyvinyl Fencing models have matching aluminum reinforced walk gates to accent your fence. Gates are available in both single and double options.



Pool Code Approved

Polyvinyl Fencing combines safety with style. Fencing models marked with this symbol comply with ASTM 1908 pool codes for height and spacing. Always check with your local building code authority as local codes may differ.



VINYL COLORS

Polyvinyl Fencing is available in multiple vinyl colors. Some colors are unique to select models. Please see individual style pages for color availability.

Colors shown are a close approximation of the true color. Please request actual samples for accurate colors.



White



Tan



Mocha



Antique Beige



Cottage Grey



Storm



Tri-Max II with Lattice Topper

INSPIRATION



Sterling Concave



Tri-Max II with Vertical Topper



Dynasty



Post & Rail



Princeton



Colonial



Superior



Tri-Max II

PRIVACY


MODELS





Polyvinyl Privacy Fencing provides privacy and security for your outdoor living space while offering options and colors to match your style. Whether you are protecting your family and pets or creating a secluded oasis for your backyard pool, Privacy Fencing will ensure your outdoor living space is safe and beautiful.


KINGSTON



48", 60", 72", 84", 96"
for 72", 84", and 96" heights




MAJESTIC II



48", 60", 72", 84", 96"
for 72", 84", and 96" heights




SUPERIOR



48", 60", 72"


for 60", 72", 84", and 96" heights




84", 96"




SUPERIOR II



48", 60", 72"
with 11.28" Verticals



84", 96"
with 11.28" Verticals




48", 60", 72"
with 6" Verticals




Rails and Posts available in White, Tan, Mocha, and Storm only

PRIVACY MODELS

TRI-MAX II




48", 60", 72"



84", 96"




TRI-MAX II with Vertical Topper



60", 72", 84"
for 72" and 84" heights




TRI-MAX II with Lattice Topper



72"



TRI-MAX II Horizontal



60", 72"



Features



Reinforced Bottom Rail Prevents Sagging on Superior and Kingston Models.



Reinforced Bottom Rail Prevents Sagging on Superior II and Majestic II Models.



Reinforced Bottom Rail Prevents Sagging on all Tri-Max II Models.



Product Details

Models	Infill Colors	Heights	Racking	Section Width	Infill	Rails	Post Size	Standard Post Cap
Kingston	White Tan Mocha	48", 60", 72", 84", 96"	2" Standard Optional 7" Rackable Section (12" per 8' Section)	8' Centers Per Ft. Section Widths Available	7/8" x 11.28" (.065") Snap Lock Tongue & Groove Panels 1-3/8" (.070") Square Vertical Accent w/3-1/2" Spacing	2-1/2"W x 3-1/2"H (.095") "Bread Loaf" Top Rail 1-3/4"W x 5-1/2"H (.100") Mid and Bottom Rail - Aluminum Reinforced Bottom Rail	5" x 5"* (.165")	Flat Cap (External)
Majestic II	White Tan Mocha	48", 60", 72", 84", 96"	2" Standard Optional 7" Rackable Section (12" per 8' Section)	8' Centers Per Ft. Section Widths Available	7/8" x 11.28" (.065") Snap Lock Tongue & Groove Panels 1-7/8" Diagonal Lattice (1/2" Thick)	1-3/4"W x 3-1/2"H (.080") Top Deco Rail 1-3/4"W x 5-1/2"H (.080") Mid Deco Rail 2"W x 7"H (.080") Bottom Deco Rail - Aluminum Reinforced Bottom Rail	5" x 5"* (.165")	Flat Cap (External)
Superior	White Tan Mocha	48", 60", 72"	2" Standard Optional 7" Rackable Section (12" per 8' Section)	8' Centers Per Ft. Section Widths Available	7/8" x 11.28" (.065") Snap Lock Tongue & Groove Panels	1-3/4"W x 5-1/2"H (.100") Top and Bottom Rail - Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
	White Tan Mocha	84", 96"	2" Standard Optional 7" Rackable Section (12" per 8' Section)	8' Centers Per Ft. Section Widths Available	7/8" x 11.28" (.065") Snap Lock Tongue & Groove Panels	1-3/4"W x 5-1/2"H (.100") Top, Mid, and Bottom Rail - Aluminum Reinforced Mid and Bottom Rail	5" x 5"* (.165")	Flat Cap (External)
Superior II	White Tan Mocha	48", 60", 72"	2" Standard Optional 7" Rackable Section (12" per 8' Section)	8' Centers Per Ft. Section Widths Available	7/8" x 11.28" (.065") Snap Lock Tongue & Groove Panels	2"W x 7"H (.080") Top and Bottom Deco Rail - Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
	White Tan Mocha	84", 96"	2" Standard Optional 7" Rackable Section (12" per 8' Section)	8' Centers Per Ft. Section Widths Available	7/8" x 11.28" (.065") Snap Lock Tongue & Groove Panels	2"W x 7"H (.080") Top, Mid, and Bottom Deco Rail - Aluminum Reinforced Mid and Bottom Rail	5" x 5"* (.165")	Flat Cap (External)
	Antique Beige Cottage Grey Storm	48", 60", 72"	10" Standard	8' Centers Per Ft. Section Widths Available	7/8" x 6" (.050") Snap Lock Tongue & Groove Panels	2"W x 7"H (.080") Top and Bottom Deco Rail - Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
Tri-Max II	White Tan Mocha	48", 60", 72"	10" Standard	8' Centers	7/8" x 6" (.050") Snap Lock Tongue & Groove Panels	1-1/2"W x 5-1/2" H (.080") Top and Bottom Rail - Aluminum Reinforced Bottom Rail	5" x 5"* (.135" Standard and Optional .165" for 60" and 72" Heights)	Flat Cap (External)
	White Tan Mocha	84", 96"	10" Standard	8' Centers	7/8" x 6" (.050") Snap Lock Tongue & Groove Panels	1-1/2"W x 5-1/2"H (.080") Top, Mid, and Bottom Rail - Aluminum Reinforced Mid and Bottom Rail	5" x 5"* (.165")	Flat Cap (External)
Tri-Max II with Vertical Topper	White Tan Mocha	60", 72", 84"	10" Standard	8' Centers	7/8" x 6" (.050") Snap Lock Tongue & Groove Panels 7/8" x 1-1/2" (.070") Vertical Accent w/4-1/8" Spacing	1-3/4"W x 3-1/2"H (.110") Top Rail 1-1/2"W x 5-1/2"H (.080") Mid and Bottom Rail - Aluminum Reinforced Bottom Rail	5" x 5"* (.135" Standard and Optional .165" for 60" and 72" Heights. .165" Standard for 84" Height)	Flat Cap (External)
Tri-Max II with Lattice Topper	White Tan Mocha	72"	10" Standard	8' Centers	7/8" x 6" (.050") Snap Lock Tongue & Groove Panels 1-7/8" Diagonal Lattice (1/2" Thick)	1-3/4"W x 1-3/4"H (.080") Top Rail 1-1/2"W x 5-1/2"H (.080") Mid and Bottom Rail - Aluminum Reinforced Bottom Rail	5" x 5" (.135" Standard and Optional .165")	Flat Cap (External)
Tri-Max II Horizontal	White Tan Mocha	60", 72"	10" Standard	8' Centers	7/8" x 6" (.050") Snap Lock Tongue & Groove Panels	1-1/2"W x 5-1/2"H (.080") Top and Bottom Rail 1-1/4" x 3-5/16" Aluminum Mid Rail	5" x 5" (.135" Standard and Optional .165")	Flat Cap (External)

*Aluminum Stiffeners Required in All Line & End Posts for 84" & 96" Heights.



Dynasty



Prestige

SEMI-PRIVACY

MODELS




Princeton




Semi-Privacy Fencing provides the same benefits as Privacy Fencing while allowing airflow through your fence. Semi-Privacy Fencing is available in three models to provide the perfect mix of style and seclusion for your outdoor living space. All Semi-Privacy Fencing models are Pool Code approved.

DYNASTY




48", 60", 72"
for 72" height

PRESTIGE



48" 60", 72"

PRINCETON



48" 60", 72"

Features



(far left) Dynasty Aluminum Reinforced Bottom Rail
(left) Prestige and Princeton Aluminum Reinforced Bottom Rail

Product Details

Models	Infill Colors	Heights	Racking	Section Width	Infill Size	Rails	Post Size	Standard Post Cap
Dynasty	White Tan Mocha	48", 60", 72"	3" Standard	8' Centers Per Ft. Section Widths Available	• 7/8" x 6" (.060") Verticals w/15/16" Spacing • 1-7/8" Diagonal Lattice (1/2" Thick)	• 1-3/4"W x 5-1/2"H (.100") Top, Mid, and Bottom Rail • Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
Prestige	White Tan Mocha	48"	3" Standard	8' Centers Per Ft. Section Widths Available	7/8" x 6" (.060") Verticals w/7/8" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail • Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
	White Tan Mocha	60", 72"	3" Standard	8' Centers Per Ft. Section Widths Available	7/8" x 6" (.060") Verticals w/7/8" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top, Mid, and Bottom Rail • Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
Princeton	White Tan Mocha	48"	4" Standard	8' Centers Per Ft. Section Widths Available	7/8" x 6" (.060") & 7/8" x 1-1/2" (.070") Alternating Verticals w/1-1/16" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail • Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)
	White Tan Mocha	60", 72"	4" Standard	8' Centers Per Ft. Section Widths Available	7/8" x 6" (.060") & 7/8" x 1-1/2" (.070") Alternating Verticals w/1-1/16" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top, Mid, and Bottom Rail • Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Flat Cap (External)




Sterling Straight



Remington

PICKET

MODELS




Supreme Concave




There is nothing more Americana than a white Picket Fence. Polyvinyl Picket Fencing provides a decorative boundary for your yard without blocking your view. Picket Fences are a stylish addition for both front and backyards.

GOOD NEIGHBOR




Straight
36", 42", 48"



Concave
36", 42", 48"




REMINGTON




48", 60", 72"
for 72" height




STERLING



Straight
36", 42", 48"
for 48" height




Concave
36", 42", 48"




Convex
36", 42", 48"
for 48" height




SUPREME



Straight
48", 60", 72"



Concave
48", 60", 72"
for 60" and 72" heights



Convex
48", 60", 72"



PICKET MODELS


Features




Good Neighbor Bottom Rail H-Channel Aluminum Reinforcement





Good Neighbor Notched Pickets



Good Neighbor Hidden Screw Top Rail Support Center Picket



Patented Hidden Picket Attachment For Supreme and Sterling Picket Fencing (Internal View) No Unsightly Screws or Cap Plugs



Supreme and Sterling Dog Ear Picket Cap



Supreme Straight



Product Details

Models	Colors	Heights	Racking	Section Width	Vertical Size	Rails	Post Size	Standard Post Cap
Good Neighbor	White Tan Mocha	36", 42", 48"	3" Standard	8' Centers	7/8" x 3" (.080") Pickets w/2-15/16" Spacing	1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail - Aluminum Reinforced Bottom Rail	4" x 4" (.135")	Flat Cap (External)
Remington	White Tan Mocha	48", 60", 72"	6" Standard	8' Centers Per Ft/In Section Widths Available	1-3/8" x 1-3/8" (.070") Pickets w/1-15/16" Spacing	1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail - Aluminum Reinforced Bottom Rail	5" x 5" (.165")	Trim Cap
Sterling	White Tan Mocha	36", 42", 48"	24" Standard	6' Centers Per Ft/In Section Widths Available	7/8" x 3" (.080") Pickets w/1-3/4" Spacing	1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail	4" x 4" (.135")	Gothic Cap
Supreme	White Tan Mocha	48", 60", 72"	24" Standard	8' Centers Per Ft/In Section Widths Available	7/8" x 3" (.080") Pickets w/1-11/16" Spacing	1-1/2"W x 5-1/2"H (.090") Top and Bottom Rail	5" x 5" (.165")	Gothic Cap



Good Neighbor Concave



ORNAMENTAL


MODELS





The timeless beauty of our Ornamental Fencing adds a touch of elegance to your outdoor living space. Colonial and Good Neighbor models add safety to front or backyards while offering a stylish addition to your home.

COLONIAL




36", 42", 48", 50-1/2"

60", 72"

for 50 1/2" height

NOTE: Bottom Rail Aluminum Reinforced for 50 1/2", 60", and 72" Colonial Heights

GOOD NEIGHBOR YARD



36", 42", 50-1/2"

for 50 1/2" height

Product Details

Models	Infill Colors	Heights	Racking	Section Width	Infill Size	Rails	Post Size	Standard Post Cap
Colonial	White Tan Mocha	36", 42", 48"	6" Standard	6' Centers Per Ft. Section Widths Available	7/8" x 1-1/2" (.070") Verticals w/2-15/16" Spacing	1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail	4" x 4" (.135")	Flat Cap (External)
	White Tan Mocha	50-1/2"	6" Standard	6' Centers Per Ft. Section Widths Available	7/8" x 1-1/2" (.070") Verticals w/2-15/16" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail • Aluminum Reinforced Bottom Rail	4" x 4" (.135")	Flat Cap (External)
	White Tan Mocha	60", 72"	3" Standard	6' Centers Per Ft. Section Widths Available	7/8" x 1-1/2" (.070") Verticals w/2-15/16" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top, Mid, and Bottom Rail • Aluminum Reinforced Bottom Rail	4" x 4" (.135")	Flat Cap (External)
Good Neighbor Yard	White Tan Mocha	36", 42", 50-1/2"	6" Standard	8' Centers	7/8" x 1-1/2" (.070") Verticals w/3-11/16" Spacing	• 1-3/4"W x 3-1/2"H (.110") Top and Bottom Rail • Aluminum Reinforced Bottom Rail	4" x 4" (.135")	Flat Cap (External)



4-Rail



3-Rail

POST & RAIL

MODELS




2-Rail



Post & Rail Fencing offers an open design and includes 2, 3, and 4 rail models as well as a Crossbuck model. Create a classic fence look for your property with Post & Rail Fencing.

POST & RAIL



Product Details

Models	Colors	Heights	Section Width	Rails	Rail Spacing	Post Length	Post Size	Standard Post Cap
2-Rail	White Tan Mocha	36"	8' Centers	1-1/2"W x 5-1/2"H Ribbed (.090")	10-1/2"	5-1/2' (.135")	5" x 5"	Flat Cap (External)
3-Rail	White Tan Mocha	48", 52"	8' Centers	1-1/2"W x 5-1/2"H Ribbed (.090")	10-1/2"	6-1/2' (.135") 7' (.135" or .165") 7-1/2' (.165")	5" x 5"	Flat Cap (External)
	White Tan	52"	8' Centers	2"W x 6"H Hollow (.090")	10-1/2"	7' (.165") 7-1/2' (.165")	5" x 5"	Flat Cap (External)
4-Rail	White Tan Mocha	52"	8' Centers	1-1/2"W x 5-1/2"H Ribbed (.090")	6-1/2"	7' (.135" or .165") 7-1/2' (.165")	5" x 5"	Flat Cap (External)
	White Tan	52"	8' Centers	2"W x 6"H Hollow (.090")	6-1/2"	7' (.165") 7-1/2' (.165")	5" x 5"	Flat Cap (External)
Crossbuck	White Tan Mocha	50-1/2"	8' Centers	1-1/2"W x 5-1/2"H Ribbed (.090")		7' (.135")	5" x 5"	Flat Cap (External)



Welded Aluminum Frame Gate



Sterling Straight Gate

GATES



Tri-Max II with Vertical Topper Gate

WALK GATES



Each of our Polyvinyl Fence models have optional matching walk gates. All walk gates include an aluminum reinforced frame. Walk gates are available in both single and double gate sizes.

Product Details

	Models	Heights	Standard Single Gate Opening Sizes	Standard Double Gate Opening Sizes
Privacy	Kingston	48", 60", 72" 84", 96"	36", 42", 48", 60", 72" 36", 42", 48"	72", 84", 96", 120", 144" 72", 84", 96"
	Majestic II	48", 60", 72" 84", 96"	36", 42", 48", 60", 72" 36", 42", 48"	72", 84", 96", 120", 144" 72", 84", 96"
	Superior	48", 60", 72" 84", 96"	36", 42", 48", 60", 72" 36", 42", 48"	72", 84", 96", 120", 144" 72", 84", 96"
	Superior II	48", 60", 72" 84", 96"	36", 42", 48", 60", 72" 36", 42", 48"	72", 84", 96", 120", 144" 72", 84", 96"
	Tri-Max II	48", 60" 72" 84", 96"	36", 42", 48", 60", 72" 36", 42", 48", 60" 36", 42", 48"	72", 84", 96", 120", 144" 72", 84", 96", 120" 72", 84", 96"
	Tri-Max II w/Vertical Topper	60" 72" 84"	36", 42", 48", 60", 72" 36", 42", 48", 60" 36", 42", 48"	72", 84", 96", 120", 144" 72", 84", 96", 120" 72", 84", 96"
	Tri-Max II w/Lattice Topper	72"	36", 42", 48", 60"	72", 84", 96", 120"
	Tri-Max II Horizontal	60", 72"	48", 60", 72"	96", 120", 144"
	Semi-Privacy	Dynasty	48", 60", 72"	36", 42", 48", 60", 72"
Prestige		48", 60", 72"	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"
Princeton		48", 60", 72"	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"
Good Neighbor		36", 42", 48"	48", 60", 72"	96", 120", 144"
Picket	Remington	48", 60", 72"	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"
	Sterling	36", 42", 48"	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"
	Supreme	48", 60", 72"	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"
Ornamental	Colonial	36", 42", 48", 50-1/2", 60", 72"	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"
	Good Neighbor Yard	36", 42", 50-1/2",	36", 42", 48", 60", 72"	72", 84", 96", 120", 144"




Custom gate sizes are available. Contact Customer Service for more information.

GATES

Features




Walk Gate with Aluminum Reinforced Frame



Removable Center Post is Recommended on Double Gates.



Colonial Convex Gate Option



Superior Convex Gate



Click the QR Code for a detailed Polyvinyl Gate Help Sheet

Aluminum Frame Gates

DSI offers both Welded and Adjustable Aluminum Frame Gates. DSI Aluminum Frame Gates have a powder coated aluminum frame and vinyl privacy infills designed for strength and durability.

See our DSI Gates Brochure or [visit our website](#) for more information.



Adjustable Aluminum Frame Gates




Welded Aluminum Frame Gates

POST & RAIL GATES




Post & Rail Gates are available in both aluminum and vinyl with aluminum reinforcement. From walk gates to larger double opening gates for mowers and farm equipment, Post & Rail Gates can meet all your needs.


Vinyl




2-Rail



3-Rail




4-Rail




Crossbuck

Aluminum



2-Rail



3-Rail




4-Rail

Product Details

Models	Gate Type	Heights	Standard Single Gate Opening Sizes	Standard Double Gate Opening Sizes
2-Rail	Vinyl	36"	48", 72", 96", 120"	96", 144", 192", 240"
	Aluminum	36"	48", 72", 96", 120", 144", 192"	96", 144", 192", 240", 288", 384"
3-Rail	Vinyl	48", 52"	48", 72", 96", 120"	96", 144", 192", 240"
	Aluminum	48", 52"	48", 72", 96", 120", 144", 192"	96", 144", 192", 240", 288", 384"
4-Rail	Vinyl	52"	48", 72", 96", 120"	96", 144", 192", 240"
	Aluminum	52"	48", 72", 96", 120", 144", 192"	96", 144", 192", 240", 288", 384"
Crossbuck	Vinyl	50-1/2"	48", 72", 96", 120"	96", 144", 192", 240"
	Aluminum	50-1/2"	N/A	N/A


Features



Post & Rail Vinyl Gate with Aluminum Reinforced Frame

GATE HARDWARE


Hinges



Residential Hinge



Tru-Close Hinge




Commercial Hinge
for Post & Rail or
Aluminum Frame
Gates



Mocha and Tan are available for **select** products. Please contact customer service for availability.

Latches




Residential Latch



Magna Latch Vertical
Pull 6"



Magna Latch
Vertical Pull 20-1/4"



Lokk Latch




Lokk Latch Deluxe



Mocha and Tan are available for **select** products. Please contact customer service for availability.



FortiMa Latch



Commercial Latch
for Post & Rail



Sentry Latch
for use on double gates
that only require access
to the latch from one
side of the gate


Canebolts



Canebolt Lockable



Canebolt Lockable
Receiver



Canebolt
(Drop Pin Kit)




Mocha and Tan are available for **select** products. Please contact customer service for availability.

ACCESSORIES



Vinyl Post Caps



External Flat Cap




Gothic Cap



Ball Cap



Trim Cap



Internal Flat Cap
(For Post & Rail)

White Mocha is available for **select** products. Please see individual product pages for availability.

Tan

Mocha

Magena Star® Post Cap Lighting

Magena Star® Ornamental Low Voltage Lights.
Visit magenastar.com for more information.



Ornamental
Low Voltage 4"



Downward
Low Voltage 4"



Combo
Low Voltage 4"



Ornamental
Low Voltage 5"

White Mocha is available for **select** products. Please see individual product pages for availability.

Tan

Mocha

Tools



Template Kit



Notching Tool



1 1/2" x 5 1/2" or 2" x 6"
Rail Remover Tool
(Set of 2)



1" Rail Remover Tool
(Set of 3)



Transforming the Outdoor Living Experience®

DSI FAMILY OF PRODUCTS



Stay Connected
diggerspecialties.com



We have tried to make this brochure comprehensive and factual. We reserve the right to discontinue at any time, without notice, colors, materials, equipment, and availability. Since some information may have been updated since the time of printing, we are not responsible for typographical or pictorial errors. Materials shown may vary slightly from actual colors and photos may show optional items. ©Digger Specialties, Inc. 2025/03 99508